

FASTLITE

Ultrafast - Shaping - Measurement - Control



FROZZER

Scanning MIR FROG


Specifications

LARGE TIME-BANDWIDTH-PRODUCT PULSES
CHARACTERIZATION DEVICE


- ✓ Designed for pulses from 1 to 9 μm
- ✓ Ultra long, high resolution scanning range
- ✓ Selectable spectrometers for different spectral ranges: 1 - 1.8 μm , 2.2 - 5 μm , 3 - 9 μm .

• Pulse duration range	3 cycles to 5 ps
• Scanning range	± 10 ps
• Temporal resolution	150 as
• Input energy range	0.1 to 10 μJ
• Input beam diameter	up to 6 mm
• Input polarization	Linear, vertical
• Optical module dimensions	243 x 174 x 81 mm ³

✓ Double pulse measurement at 3 μm



✓ Sub 5 cycle pulse measurement at 3 μm



Product Specifications are subject to change at any time without prior notice. © FASTLITE 2016. All rights reserved

Phone: +33 (0)4 88 13 17 51
Fax: +33 (0)4 92 95 76 90
E-mail: info@fastlite.com

FASTLITE
www.fastlite.com
Spec-Frozzler-rev2016-1

Les collines de Sophia, Bât D1
1900 route des crêtes 06560
9/3/2016 VALBONNE, FRANCE

PNEUM Co., Ltd.
5-15-3 Minamikoshigaya, Koshigaya-shi,
Saitama-ken, 343-0845, Japan

TEL: 81-48-985-2720
FAX: 81-48-985-2721
info@pneum.co.jp 1607